



The new Bavaria 30 Cruiser, the answer for the smaller yacht buyer.

31 feet overall, the 30 Cruiser has more displacement than the 32, and boasts more sail area on over two feet more mast height, indicating an even better sailing performance potential.

A fuller hull shape also allows for a larger relative interior volume that retains the same ample light and ventilation evident in all previous models.

The 30 Cruiser has that same "yacht" feel as all the other Bavaria Cruiser series models, taking full benefit of the lighter mahogany woodwork that is a signature of the new series Bavarias.

Add to all this the no compromise construction benefits obtained with the use of a full interior "grid" system and the 30 Cruiser is definitely a yacht whose cruising potential is as limitless as the imagination of the owner.



 Rich, new lighter colored mahogany interior finish featuring solid wood cabin and cabinet doors



 Large galley with gimbaled two burner propane stove with oven and 12 Volt refrigeration



 Two cabins with double berths and enclosed lockers



 Double spreader Selden mast with pneumatic boom vang




Large head with easy-care surfaces




 Kevlar reinforced bow sections for added safety




German-engineered, sailor-inspired.



Length overall 31' Length hull 30' Length waterline 27'1" 10'9" Beam Draft standard 4'7" Draft (deep option) 6'1" Displacement 9,240 lbs. Ballast 2,200 lbs. Mainsail & genoa 555 sq. ft. (appx.) Water tank 40 gal. (appx.) Fuel tank 25 gal. (appx.) 46'3" Ht. of mast above waterline







www.bavariayachts.com 1-410-990-0007



30 CRUISER STANDARD FITTINGS AND EQUIPMENT

Hull & Deck

Hand-laid fiberglass, solid below the waterline

Kevlar reinforced bow sections

Side deck and coach roof with non-skid

Stainless steel bow pulpit

Stainless steel double pushpit

Double lifelines

Stainless steel bow fitting with anchor roller and chafe

Four aluminum mooring cleats

Two aluminum spring line cleats

Two self-tailing halyard winches

Two self-tailing genoa winches, two speed

Winch handle

Sheets and halyards led to cockpit

Spinlock line clutches

Self-draining anchor locker

Large seat locker in cockpit

Self-draining gas cylinder locker

Cockpit shower (hot and cold)

Stainless steel boarding ladder - telescoping

Deck vent

Electric bilge pump

Manual bilge pump

Cockpit table with storage

Rail opening port and starboard

Teak decks and cockpit sole optional

Sails & Rigging

Double spreader Selden mast

Headsail designed for furling system

Choice of conventional, furling or fully battened main-

Furlex furling system for headsail

Selden adjustable boom vang

Ballast

Modern profile cast iron keel

Steering pedestal with single lever engine controls

Streamlined balanced rudder

Rudder stock with self-adjusting bearings

Emergency tiller

Steering wheel with leather cover

Electrical System

12 V panel with circuit breakers

110 V shore supply

110 V outlets

Voltmeter

Antenna and cable for VHF

Navigation lights

Deck light

Batteries: 1 x 55 Ah battery for starting

1 x 140 Ah house battery

24 Ah battery charger

Varnished light mahogany interior

Two cabins with double berths

Salon with settee and large mahogany table

Stowage space and lockers

Chart table with large compartment for charts and

instruments

Chart table seat with stowage

Bookshelf

Gimbaled two burner propane stove with oven

Icebox with 12 V refrigeration unit

Stainless steel sink

Galley stowage for dishes and pots

Waste container with lid

Three fire extinguishers

Marine head with easy-care surfaces

Shower with sump pump

Manual toilet

Holding tank with deck pump-out and overboard dis-

charge

Two opening hatches with roller blinds

Six opening ports with curtains

Fresh Water Supply

Water tank (appx. 40 gal.)

Water level indicator

Electric pressure water pump with filter

Pressure hot water system

Instruments

Raymarine ST 60 Wind

Raymarine ST 60 Tridata (log, speedometer and depth)

Pedestal mounted compass

Engine

Volvo Penta D1-20, 18 hp with sail drive

Fresh water cooling

Operating hours meter

Tachometer

Fuel level indicator

Fuel filter

Seawater filter

Fuel tank (appx. 25 gal.)

Due to continued efforts to upgrade product, equipment, specifications and prices are subject

to change without notice at any time.

